





1. Hung M, Saltzman CL, Kendall R, Bounsanga J, Voss MW, Lawrence B, Spiker R, Brodke D. What Are the MCIDs for PROMIS, NDI, and ODI Instruments Among Patients With Spinal Conditions? *Clin Orthop Relat Res*. 2018 Oct;476(10):2027-2036. doi: 10.1097/CORR.0000000000000419. PMID: 30179950; PMCID: PMC6259866.
2. Ryan Ability Lab S. Rehabilitation Measures Database. Shirley Ryan. Published September 10, 2015. Accessed May 9, 2023. <https://www.sralab.org/rehabilitation-measures/neck-disability-index>
3. Soroceanu A, Smith JS, Lau D, Kelly MP, Passias PG, Protopsaltis TS, Gum JL, Lafage V, Kim HJ, Scheer JK, Gupta M, Mundis GM, Klineberg EO, Burton D, Bess S, Ames CP; International Spine Study Group. Establishing the minimum clinically important difference in Neck Disability Index and modified Japanese Orthopaedic Association scores for adult cervical deformity. *J Neurosurg Spine*. 2020 May 29:1-5. doi: 10.3171/2020.3.SPINE191232. Epub ahead of print. PMID: 32470935.
4. Young BA, Walker MJ, Strunce Epub 4.